

AN ISO 9001:2015 CERTIFIED COMPANY

CERAMICON®
FASHION
STUDIO



COSMOS
MOSAICS THAT CREATE STORIES

aquatica
CRACKLE COLLECTION



COSMOS AQUATICA CRACKLE COLLECTION


AQUATICA CRACKLE COLLECTION is a thoughtfully crafted crackle mosaic collection suitable for both interiors and exteriors. These mosaics being made of vitrified body offer numerous application possibilities for both floors and walls be it bathrooms, swimming pools, spa, jacuzzi, or any water body. Each mosaic is produced to perfection using our sophisticated and highly developed manufacturing facilities along with our ever-reliable quality and attention to detail.

Our collection allows designers to play with multiple colours, sizes, and design possibilities to make the area as per their dream setting which they adore. These mosaics give a safe, durable, and aesthetically luxurious output eventually keeping its core functionality intact. The unlimited prospects of mixing different colours from blues to aquas to greens with each other in different sizes to give a unique look to your water body is something which is exciting, giving you the freedom to explore your creative senses.

AQUATICA CRACKLE COLLECTION mainly offers you a palette of 15 colours, 3 sizes, 2 patterns viz parallel & brickjoint, and infinite possibilities to achieve unmatched elegance.



SPA



BATHROOM



SWIMMING POOL



FOUNTAIN




JACUZZI



WATER BODY


04 05




COSAQT 3030 DCR 5050 301A






COSAQT 3030 DCR 5050 301A




COSAQT 3030 MONO 5050 1801CR1




COSAQT 3030 MONO 5050 1805CR1



COSAQT 3030 DCR 5050 302A




COSAQT 3030 MONO 5050 1805CR1




COSAQT 3030 MONO 5050 1810CR2

CHIP SIZE : 48mm x 48mm
SHEET SIZE : 300mm x 300mm(APP.)
AREA COVERAGE/SHEET : 0.09 SQM (APP.)



COSAQT 3030 MONO 5050 1825CR2



COSAQT 3030 MONO 5050 1845CR1





COSAQT 3030 MONO 5050 1865CR3




COSAQT 3030 MIX 5050 001

CHIP SIZE : 48mm x 48mm
SHEET SIZE : 300mm x 300mm(APP.)
AREA COVERAGE/SHEET : 0.09 SQM (APP.)



CHIP SIZE : 48mm x 48mm
SHEET SIZE : 300mm x 300mm(APP.)
AREA COVERAGE/SHEET : 0.09 SQM (APP.)


COSAQT 3030 DCR 5050 307B




CHIP SIZE : 73mm x 73mm
SHEET SIZE : 300mm x 300mm(APP.)
AREA COVERAGE/SHEET : 0.09 SQM (APP.)

COSAQT 3030 DCR 7575 310A


COSAQT 3030 MONO 5050 1830CR3



COSAQT 3030 DCR 5050 306B





COSAQT 3030 DCR 5050 306B




COSAQT 3030 MONO 5050 1830CR3

12 13




CHIP SIZE : 48mm x 48mm
SHEET SIZE : 300mm x 300mm(APP.)
AREA COVERAGE/SHEET : 0.09 SQM (APP.)


COSAQT 3030 MONO 5050 1855CR3



COSAQT 3030 MONO 5050 1865CR3





COSAQT 3030 MONO 5050 1845CR1



COSAQT 3030 DCR 5050 303M1A


COSAQT 3030 DCR 5050 303M2A






CHIP SIZE : 48mm x 48mm
SHEET SIZE : 300mm x 300mm(APP.)
AREA COVERAGE/SHEET : 0.09 SQM (APP.)

COSAQT 3030 MONO 5050 1825CR2



COSAQT 3030 DCR 5050 304B



COSAQT 3030 MONO 5050 1820CR2

COSMOS


MOSAICS THAT CREATE STORIES




CHIP SIZE : 48mm x 48mm

SHEET SIZE : 300mm x 300mm(APP.)


AREA COVERAGE/SHEET : 0.09 SQM (APP.)




COSAQT 3030 MONO 5050 1840CR2



|| 22 23




COSAQT 3030 MONO 5050 1870CR3




COSAQT 3030 MONO 5050 1845CR1


CHIP SIZE : 48mm x 48mm
SHEET SIZE : 300mm x 300mm(APP.)
AREA COVERAGE/SHEET : 0.09 SQM (APP.)




COSAQT 3030 MONO 5050 1860CR2




COSAQT 3030 MONO
5050 1801CR1



COSAQT 3030 MONO
5050 1805CR1




COSAQT 3030 MONO
5050 1810CR2




COSAQT 3030 MONO
5050 1815CR2




COSAQT 3030 MONO
5050 1820CR2




COSAQT 3030 MONO
5050 1825CR2




COSAQT 3030 MONO
5050 1830CR3




COSAQT 3030 MONO
5050 1835CR3




COSAQT 3030 MONO
5050 1840CR2




COSAQT 3030 MONO
5050 1845CR1




COSAQT 3030 MONO
5050 1850CR1




COSAQT 3030 MONO
5050 1855CR3




COSAQT 3030 MONO
5050 1860CR2



COSAQT 3030 MONO
5050 1865CR3



COSAQT 3030 MONO
5050 1870CR3



COSAQT 3030 MONO 100100 1840CR2



COSAQT 3030 DCR 100100 313B

CHIP SIZE : 98mm x 98mm

SHEET SIZE : 300mm x 300mm(APP.)

AREA COVERAGE/SHEET : 0.09 SQM (APP.)


CODING FORMAT FOR OTHER SIZES:

1 FOR CHIP SIZE OF 75x75mm, REPLACE 5050 TO 7575 IN THE CODE.
EG: COSAQT 3030 MONO 7575 1801CR1


2 FOR CHIP SIZE OF 100x100mm, REPLACE 5050 TO 100100 IN THE CODE.
EG: COSAQT 3030 MONO 100100 1801CR1

50mm x 50mm



DÉCOR MOSAIC




COSAQT 3030 DCR
5050 301A




COSAQT 3030 DCR
5050 301B



COSAQT 3030 DCR
5050 302A




COSAQT 3030 DCR
5050 302B



50mm x 50mm



DÉCOR MOSAIC




COSAQT 3030 DCR
5050 303M1A




COSAQT 3030 DCR
5050 303M2A



COSAQT 3030 DCR
5050 303M1B



COSAQT 3030 DCR
5050 303M2B




50mm x 50mm


DÉCOR MOSAIC

50mm x 50mm


DÉCOR MOSAIC




COSAQT 3030 DCR
5050 304A






COSAQT 3030 DCR
5050 304B




COSAQT 3030 DCR
5050 306A




COSAQT 3030 DCR
5050 306B




COSAQT 3030 DCR
5050 305A





COSAQT 3030 DCR
5050 305B



COSAQT 3030 DCR
5050 307A




COSAQT 3030 DCR
5050 307B





50mm x 50mm


DÉCOR MOSAIC



COSAQT 3030 DCR
5050 308A




COSAQT 3030 DCR
5050 308B





50mm x 50mm


MIX MOSAIC



COSAQT 3030 MIX
5050 001



COSAQT 3030 MIX
5050 002




30 31

75mm x 75mm


DÉCOR MOSAIC

75mm x 75mm


DÉCOR MOSAIC




COSAQT 3030 DCR
7575 309A






COSAQT 3030 DCR
7575 309B




COSAQT 3030 DCR
7575 310A




COSAQT 3030 DCR
7575 310B



COSAQT 3030 DCR
7575 311A



COSAQT 3030 DCR
7575 311B




75mm x 75mm


MIX MOSAIC



COSAQT 3030 MIX
7575 001



COSAQT 3030 MIX
7575 002





100mm x 100mm



DÉCOR MOSAIC



COSAQT 3030 DCR
100100 312A




COSAQT 3030 DCR
100100 313A



COSAQT 3030 DCR
100100 312B




COSAQT 3030 DCR
100100 313B




DÉCOR MOSAIC

MIX MOSAIC






COSAQT 3030 DCR
100100 314A




COSAQT 3030 DCR
100100 314B



COSAQT 3030 MIX
100100 001





COSAQT 3030 DCR
100100 315A



COSAQT 3030 DCR
1010 315B



COSAQT 3030 MIX
100100 002



TECHNICAL SPECIFICATIONS

	International Specifications ISO 13006/EN 176 Group & IS 15622 : 2006	VALUE	METHOD OF TESTING
Deviation In Length	±0.6%	±0.2%	ISO 10545 - 2
Deviation In Thickness	±5%	±5%	ISO 10545 - 2
Straightness Of Sides	±0.5%	±0.2%	ISO 10545 - 2
Rectangularity	±0.6%	±0.3%	ISO 10545 - 2
**Surface Flatness	±0.5%	±0.3%	ISO 10545 - 2
Surface Quality	A minimum of 95% of the tiles shall be free from visible defects that would impair the appearance of a major area of tiles		ISO 10545 - 2
PHYSICAL & THERMAL PROPERTIES			
Water Absorption	<0.5%	<0.2%	ISO 10545 - 3
Mohs Hardness*	>6	Compliant	EN 101
Modulus of Rupture	35 N/mm ²	>46 N/mm ²	ISO 10545 - 4
Abrasion Resistance**	<175 mm ³	<144 mm ³	ISO 10545 - 7
**Skid Resistance (Friction Coefficient)	>0.4	>0.4	ISO 10545 - 17
Breaking Strength	Min 1300 N	> 2000 N	ISO 10545 - 4
Density (g/cc)	>2.0	>2.4	ISO 10545 - 3
Frost Resistance	Required	Compliant	ISO 10545 - 9
Thermal Shock Resistance	10 Cycles Min	Compliant	ISO 10545 - 9
Thermal Expansion	<9 x 10 ⁻⁶	<6 x 10 ⁻⁶	ISO 10545 - 8
Moisture Expansion	Nil	Nil	ISO 10545 - 10
CHEMICAL PROPERTIES			
Chemical Resistance	No Damage	No Damage	ISO 10545 - 13
Colour Resistance	No Damage	No Damage	DIN 51094
Stain Resistance	Resistant	Resistant	ISO 10545 - 14

PACKING DETAILS

PARTICULARS				
Mosaic	Nominal Size	50mm x 50mm	75mm x 75mm	100mm x 100mm
	Actual Size	48mm x 48mm	73mm x 73mm	98mm x 98mm
	Thickness	8mm (App.)		
Sheet	Chips / Sheet	50x50mm - 36 Pcs	75x75mm - 16 Pcs	100x100mm - 09 Pcs
	Nominal Size	300 x 300mm		
	Actual Size	302 x 302mm	300 x 300mm	300 x 300mm
	Joint Gap	2 mm (App.)		
	Coverage	0.09 SQM (App.)		
	Weight	1.7 Kg (App.)		
Box	No. of sheets	11		
	Weight	19 Kg (App.)		
	Coverage	0.99 SQM (App.)		

DISCLAIMER: Ceramic Fashion Studio reserves the rights to delete & amend either totally or partially, any of the colors, shapes, sizes, references and other technical specifications or aesthetic appearance of product/s contained in this catalogue at any time without any prior notice. The colors shown of products in this catalogue are purely illustrative and limited to printing process. Please refer actual product before final selection. The detail of sizes and color references should be verified for typographical errors.

NOTE: It is strongly recommended to use spacers between the sheets. Width of the spacers between sheets should be equal to the width between the chips in the sheet.



SHREE AMBICA DECOPRINTS PVT. LTD. 766, 772-Rakanpur, Sola Santej Road, Ta. Kalol-382 721. (North Gujarat). India.
Email: info@ceramicfashionstudio.com Ph: +91 2764 286961-2-3

www.ceramicfashionstudio.com

